CLAIMS

1-47. (Canceled)

- 48. (Currently amended) A method comprising encoding on computer-readable media a video stream so that the encoded video stream includes a series sequence of temporal layers including a first temporal layer in which all frames are A-frames, each A-frame being an I-frame or a P-frame, and plural succeeding temporal layers in which all frames are B-frames, said temporal layers being composed and arranged so that a temporal resolution can be selected as a function of a whole number of said succeeding layers truncated from an end of said series sequence.
- 49. (*Previously presented*) A method as recited in Claim 48 wherein no two temporally adjacent frames are in the same one of said temporal layers.
- 50. (*Previously presented*) A method as recited in Claim 48 wherein said encoded video stream includes a table of contents indicating an offset for each frame included in said encoded video stream.
- 51. *(Previously presented)* A method as recited in Claim 48 wherein: said encoding involves wavelet encoding; and

for each of said temporal layers, data is arranged in spatial layers so that a spatial resolution can be selected by truncating a whole number of spatial layers from respective ends of at least some of said temporal layers, said B-frames being wavelet encoded.

- 52. (Previously presented) A method as recited in Claim 51 wherein, for each of said spatial layers, data is arranged in signal-to-noise layers so that a signal-to-noise ratio can be selected by truncating a whole number of said signal-to-noise layers from respective ends of at least some of said spatial layers.
- 53. (*Currently amended*) A method as recited in Claim 52 wherein said encoded video stream is of one of plural such streams collectively arranged in a series <u>of</u> interactivity layers so that a level of interactivity can be selected by truncating a whole number of said interactivity layers from said series of interactivity layers.
- 54. (Currently amended) The product produced by the method of Claim ± 48 .
- 55. *(Currently amended)* A system comprising: computer readable storage media; and
- an encoder for encoding on said media a video stream so that the encoded video stream includes a <u>sequence series</u> of temporal layers including a first temporal layer in which all frames are A-frames, each A-frame being an I-frame or a P-frame, and plural succeeding temporal layers in which all frames are B-frames, no two temporally adjacent frames being in the same temporal layer.
- 56. (*Previously presented*) A system as recited in Claim 55 wherein said layers are composed and arranged so that a temporal resolution can be selected by truncating a whole number of layers including B-frames from the end of said series sequence.

- 57. (Previously presented) A system as recited in Claim 55 wherein said encoded video stream includes a table of contents indicating an offset for each frame included in said encoded video stream.
- 58. *(Currently amended)* A system as recited in Claim <u>1–55</u> wherein: said encoding involves wavelet encoding; and

for each of said temporal layers, data is arranged in spatial layers so that a spatial resolution can be selected as a function of a whole number of spatial layers from each of said temporal layers.

- 59. (*Previously presented*) A system as recited in Claim 58 wherein, for each of said spatial layers, data is arranged in signal-to-noise layers so that a signal-to-noise ratio can be selected by truncating the respective spatial layer.
- 60. *(Currently amended)* A system as recited in Claim 59 wherein said encoded video stream of is one of plural such streams collectively arranged in a series interactivity layers so that a level of interactivity can be selected can be selected by truncating said series of interactivity layers.

61. (Currently amended) A method comprising:

accessing video sequentially arranged video data having a table of contents and a series sequence of temporal layers, said series sequence having a first temporal layers in which all frames are A-frames, each A-frame being an I-frame or a P-frame, all frames in plural succeeding temporal layers being B-frames arranged so that no two temporally adjacent B-frames are in the same temporal layer;

predecoding said A-frames; and in response to a request for a frame,

if the requested frame is an A-frame, looking up an offset for said A-frame in said table of contents and accessing said A-frame at said offset, and

if the requested frame is a B-frame, looking up offsets for said B-frame in said table of contents and decoding said B-frame in part as a function of pre-decoded A-frame data.

- 62. (*Previously presented*) A method as recited in Claim 61 wherein said table of contents precedes said first temporal layer.
- 63. (*Previously presented*) A method as recited in Claim 61 further comprising selecting a temporal resolution by truncating a whole number of said succeeding layers from said encoded video stream.
- 64. (*Previously presented*) A method as recited in Claim 63 further comprising selecting a spatial resolution by truncating spatial layers from the end of each of said temporal layers that has not been removed due to truncation, each of said temporal layers including a series of spatial layers.

- 65. (*Previously presented*) A method as recited in Claim 64 further comprising selecting a signal-to-noise ratio by truncating each of said spatial layers that has not been removed due to truncation.
- 66. (*Previously presented*) A method as recited in Claim 62 further comprising:

accessing additional video streams that collectively with said video stream define a series of interactivity layers; and

selecting a level of interactivity by truncating a whole number of said interactivity layers from said series of interactivity layers.

67. (Currently amended) A system comprising:

computer-readable storage media encoded with a compressed video stream; and

a decoder for accessing a video stream having a table of contents and a series sequence of temporal layers, said series sequence having a first temporal layer in which all frames are A-frames, each A-frame being an I-frame or a P-frame, all frames in a series of plural succeeding temporal layers being B-frames, said B-frames being arranged in said succeeding temporal layers so that a temporal resolution can be selected as a function of a whole number of said succeeding temporal layers truncated from the end of said encoded video stream, said decoder providing for predecoding said A-frames and, in response to a request for a frame,

if the requested frame is an A-frame, looking up an offset for said A-frame in said table of contents and accessing said A-frame at said offset, and

if the requested frame is a B-frame, looking up offsets for said B-frame in said table of contents and decoding said B-frame in part as a function of pre-decoded A-frame data.

- 68. (*Previously presented*) A method as recited in Claim 67 further comprising selecting a temporal resolution by truncating a whole number of said succeeding layers from said encoded video stream.
- 69. (*Previously presented*) A method as recited in Claim 67 further comprising selecting a spatial resolution by truncating spatial layers from the end of each of said temporal layers that has not been removed due to truncation, each of said temporal layers including a <u>series</u> of spatial layers.
- 70. (*Previously presented*) A method as recited in Claim 69 further comprising selecting a signal-to-noise ratio by truncating each of said spatial layers that has not been removed due to truncation.
- 71. *(Currently amended)* A method as recited in Claim 70 further comprising:

accessing additional video streams that collectively with said video stream define a series of interactivity layers; and

selecting a level of interactivity by truncating a whole number of said interactify interactivity layers from said series of interactivity layers.

72. (Currently amended) A computer product comprising computer-readable storage media encoded with video data organized in part as a series sequence of frames wherein all A-frames precede all B-frames, wherein each A-frame is an I-frame or a P-frame, said B-frames being arranged in a series sequence of plural temporal layers so that a temporal resolution can be selected as a function of a whole number of said temporal layers truncated from an end of said series sequence of plural temporal layers.

- 73. (Previously presented) A computer product as recited in Claim 72 wherein said A-frames are uncompressed and said B-frames are compressed.
- 74. (*Previously presented*) A computer product as recited in Claim 72 wherein said video data further includes a table of contents associating each of said A and B-frames with one or more offsets corresponding to locations of data associated with the frame.
- 75. (*Previously presented*) A computer product as recited in Claim 72 wherein said frames are arranged in a series sequence of layers such that any two temporally adjacent frames are located in different layers.
- 76. (*Previously presented*) A computer product as recited in Claim 72 wherein each of said temporal layers is divided into a series sequence of plural spatial layers so that a spatial resolution can be selected as a function of a whole number of spatial layers truncated from an end of each of said temporal layers, said B-frames being wavelet compressed and said A-frames being not wavelet compressed.
- 77. (Previously presented) A computer product as recited in Claim 76 wherein each of said spatial layers includes a series sequence of plural signal-to-noise layers such that a signal-to-noise ratio can be selected as a function of a whole number of signal-to-noise layers truncated from said spatial layers.

78. (Currently amended) A computer product as recited in Claim 72 wherein said video data represents a set of video sequences each of which is divided into temporal layers, said video sequences being arranged in a video series such that a level of interactivity can be selected as a function of a whole number of said video sequences truncated from an end of said video data.